

Subject Index

- 1D, 37, 243, 261, 312, 322, 347, 392
 - averaging, 170
- 2D, 37, 117, 160, 165, 175–176, 192, 246,
 - 266, 301, 322, 347
 - hidden Markov model, 18
- 3D, 117, 134, 157, 176, 306, 355
 - skeletonization, 157
- Active contour, 37, 301
 - geodesic, 41, 76, 294
- Adjunction, 52, 256, 278, 285
 - Galois', 81
- Affine, 258, 300, 397
- Algorithm
 - 2-D scan, 199
- Algorithm, 371
 - binary opening, 197
 - clustering, 405
 - elliptical distance transform, 231
 - E-M, 408
 - Euclidean distance transform, 231
 - greedy classification, 26
 - identification, 341
 - incremental splitting of intervals, 220
 - iterative, 334
 - list-based, 202
 - Metropolis-Hastings, 327
 - sliding window, 198
 - van Herk, 198
 - watershed, 111, 129
- Alternating sequential filter, 143, 150, 186,
 - 275, 377
 - area open-close, 186
- AMM
 - see autoassociative morphological memories, 382
- Anisotropic distance function, 147
- Anti-extensive, 47, 80, 214, 224, 305, 407,
 - 427
- Area
 - maximization, 233
- Area morphology, 185
- Arithmetic coder, 21
- Arithmetic coding, 18
- ASF
 - see alternating sequential filter, 186
- Associative morphological memories, 381
- Attribute-based
 - connected operators, 404
 - mathematical morphology, 186
- Attribute
 - filtering, 310
 - thinning, 305
- Autoassociative morphological memories,
 - 382
- Bayes, 28, 405
- Binary
 - image operator design, 219
 - morphology, 209
 - objects segmentation, 229
 - opening, 197
 - random series, 348
- Bisector function, 230
- B-
 - leveling, 374
- Blob splitting, 229
- Boolean
 - function minimization, 219
 - model, 124, 327
- Boundary condition, 215
- Boundary pixels, 215
- Boundary segmentation, 349
- Branching, 157
- Buffon's method, 391
- Canny edge detector, 37
- Catchment basin, 144
- Catchment basins, 365
- Causality, 266
- Cell nuclei, 236
- C++, 175
- Classification, 147, 403
 - land cover, 153
 - texture, 102, 110
- Close contours, 40
- Closing, 4, 80, 144, 182, 348, 383
 - area, 301
 - as adjunction, 278
 - by reconstruction, 47, 120, 267, 415
 - connected set, 306
 - h-, 285
 - viscous, 70

- with reconstruction criteria, 415
- Clustering
 - analysis, 109
 - hierarchical, 112, 403
- CODEC, 191
- Colour, 37, 128, 148, 371, 382
 - documents, 18
- Colour images, 371
- Commercial software, 18, 130
- Commutative
 - group, 254
 - opening/closing product, 67
 - with threshold, 294
- Component tree, 310
- Compression
 - data, 166
 - document, 18
 - image, 18, 185
 - video, 185, 433
- Computational efficiency, 69
- Computation
 - in-situ, 399
- Conditional bisector, 230
- Connected filter, 305, 371
- Connected operator
 - attribute-based, 404
- Connected operators, 403, 427
 - attribute-based, 404
 - probabilistic view, 405
- Connection, 47, 79
 - arc-wise, 422
- Connectivity
 - levelings and, 416
- Continuous images, 294
- Contrast-invariant operators, 294
- Convex
 - distance transform, 111
 - function, 256
 - hull, 230, 404
 - shape non-, 322
 - structuring element, 104
- Convolutions
 - crossed, 241
 - Gaussian, 283
- Cost function, 340
- Counting methods, 236
- Covariance, 4, 118
 - function, 328
 - Gaussian, 28
 - matrix, 408
- Crest lines, 70, 117
- Curve evolution, 37
- Cylinder liner, 117
- Decision borders regions, 147
- Decision region borders, 150
- Decomposition
 - image, 306
 - surface, 117
 - threshold, 296
- Decreasing, 407
- Destination word accumulation, 209, 212
 - implementation, 214
- Diffusion
 - linear, 283
 - non-linear, 255
- Digital projection, 165
- Dilation, 4, 173, 182, 211, 290, 383, 416
 - as adjunction, 278
 - directional, 150
 - geodesic, 182, 421
 - homotopic, 394
 - on run-encoded shapes, 30
 - rolling-ball, 119
 - scale-space, 381
 - with flat structuring element, 432
- Directionality, 255
- Directional structuring element, 138
- Directional structuring elements, 147
- Discrete geometry, 165
- Discrete Radon transform, 165
- Distance, 92, 249
 - Euclidean, 29
 - flow, 160
 - function, 157, 199
 - anisotropic, 147
 - as granulometric tool, 11
 - Euclidean, 322
 - signed, 300
 - geodesic, 157
 - Manhattan, 29
 - map, 387
 - mean square, 119
 - measure, 378
 - nearest-neighbor, 167
 - statistical, 338
 - transform, 104, 111, 199, 363
 - anisotropic, 147
 - elliptical, 229, 231
- DjVu, 18
- Document interchange, 18
- DRT
 - see discrete Radon transform, 165
- DSCS method, 188
- DSIS method, 188
- Dwa
 - see destination word accumulation, 212
- Dynamics, 391
- Edge
 - detection, 37
 - Marr-Hildreth, 37
- Efficiency, 249
- Elementary textural units, 147
- Ellipse, 128
 - fitting, 318, 382
- Ellipses
 - searching for, 233
- Embeddable Markov chain, 351
- EMC

- see embeddable Markov chain, 351
- Encoding scheme, 23
- Envelope constraint, 337
- Erosion, 4, 173, 182, 211, 214, 290, 383, 416
 - as adjunction, 278
 - linear, 11
 - on run-encoded shapes, 30
 - with flat structuring element, 432
- Euclidean norm, 258
- Evaluation
 - psychovisual, 185
- Evans-Spruck, 294
- Expectation-minimization algorithm, 403
- Extensive, 407
- Face localization, 381, 386, 389
- Farey Series, 166
- Feature space, 111
- FIFO, 391
- Filter
 - connected, 305, 371
- Filtering
 - dilemma, 72
 - morphological, 416
 - motion, 427
 - size, 427
- Filter
 - low-pass, 186
 - median, 186, 296, 300, 433
 - vector, 376
 - non-linear, 348, 404
 - reconstructive, 266
 - stack, 296
- Finite lattice dynamical systems, 337
- Flattening, 47
- Flat zones, 47
 - λ , 378
 - quasi-, 371
- FLDS
 - see finite lattice dynamical systems, 337
- Flooding, 47, 120, 129
 - progressive, 360
- Floodings
 - viscous, 72
- Flooding
 - viscous, 69
- Forest covers, 137
- Fourier transform, 173, 315
- Function operators, 295
- Gaussian, 241
- Gaussian random function, 327
- Genericity, 175, 177
- Geodesic, 416
 - active contour, 41
 - dilation, 88, 182, 421
- Geodesic distance, 157, 404
 - weighted, 159
- Geodesic
 - operations, 84
 - reconstruction, 85, 394
- Geodesics, 141
- Geodesic
 - SKIZ, 394
 - vs. increasing operators, 81
- Geodesy, 79
- Geometric modelling, 147
- Geometric
 - variational principle, 44
- Gibbs sampler, 327
- Gradient, 88
 - Beucher, 182
 - descent, 92
 - direction, 37
 - external, 182
 - field, 37
 - gauge, 289
 - image, 48, 361
 - internal, 182
 - local, 129
 - morphological, 71, 143, 266
 - multi-spectral, 149
 - spatial, 392
 - temporal, 431
- Granulometric
 - curve, 204
 - methods, 315
 - moments, 102, 110
 - roundness analysis, 319
- Granulometries, 305, 307, 315, 350
- Graph-based
 - region growing, 92
- Graph theory, 362
- Greedy classification algorithm, 26
- Group
 - commutative, 254
 - Lie, 253
- Hamilton-Jacobi equation, 253, 262
- H-closing, 285
- Heteroassociative morphological memories, 382
- Hidden Markov model
 - 2D, 18
- Hierarchical
 - queue, 159
- Hierarchical
 - clustering, 403
 - object structure, 267
 - queue, 405
- High spatial resolution images, 137
- Histogram, 198, 320
 - height, 118
- History of mathematical morphology, 1
- Hit-or-miss, 182
- HMM
 - see heteroassociative morphological memories, 382
 - see hidden Markov model, 18
- H-morphology, 285

- H-opening, 285
- Human visual system, 185
- HVS, 185
- Idempotent, 407
- Image
 - compression, 18
 - editing, 127
 - inter-correlation, 189
 - morphology, 209
 - pre-processing, 185
 - processing operators, 175
 - segmentation, 69, 359
 - synthetic, 42
- Implementation
 - low-level, 215
- Increasing, 407
- Incremental splitting of intervals
 - algorithm, 222
- Integration, 37
- Internal combustion engine bore, 117
- Interpolation, 79
- ISI
 - see incremental splitting of intervals, 219
- JPEG, 186
- JPEG2000, 186
- Kidney, 157
- Killer
 - maxima, 182, 294
 - minima, 182
- Krumbein chart, 315
- Label image, 197
- λ
 - flat zones, 378
 - leveling, 378
- Laplacian, 37
- Lasso, 127
- Lattice, 384
 - algebraic, 384
 - complete, 256, 278, 284, 293, 372
 - connectivity, 10
 - dynamical systems, 337
 - finite, 338
 - hexagonal, 170
 - image, 212
 - multi-valued function, 407
 - non-distributive, 79
 - of functions, 48, 403
 - ordered, 51
 - square, 170
 - viscous, 79
- Learning, 219
- Lebesgue measure, 296
- Leveling, 47, 275, 415, 431
 - B-, 374
 - construction of, 64
 - definition, 59
 - review, 48
 - upper, 57
 - vector, 371
- Level set, 37, 294, 301
- Lie group, 253
- Linear
 - diffusion, 283
 - dynamical systems, 338
 - opening, 315
- Linear operators, 288
 - on digital projections, 165
- Linear
 - regression, 328
 - scale-space, 242, 266, 383
- Lossless, 21
 - visually, 185
- Machine learning, 266
- Magic wand, 127
- Marker, 85, 91, 268
 - function, 48, 143, 371
- Marker function, 376
- Marker
 - image, 395, 417, 428
 - minima, 149
 - minimal, 360
 - reconstruction, 140
 - ventricle, 75
- Markov chain, 348, 352
- Markov chain
 - embeddable, 348
 - restriction of, 327
- Markov random field, 28
- Massively parallel, 399
- Mathematical morphology, 127, 277, 348
 - flat, 294
- Maxima killer, 182, 294
- Maxima linking, 160
- Maximization of area, 233
- MDL
 - see minimum description length, 18
- Median, 29, 88, 172, 234, 409
 - filter, 186
- Method
 - Buffon's, 391
 - gradient descent, 92
- Metropolis-Hastings algorithm, 327
- Minima imposition, 182
- Minima killer, 182
- Minimal path, 160
- Minimum description length, 18, 23
- Minimum
 - markers, 364
 - spanning forest, 359
 - spanning tree, 130, 359
- Minkowski
 - subtractions and levelings, 63
- Mixture models, 403
- Mobile robot self-localization, 381
- Model
 - boolean, 327, 332
 - mixture, 403
 - union of ellipses, 231

- Monotone set operators, 294
- Morphological flow fields, 284
- Morphological
 - gradient, 143
 - memories, 382
 - scale-space, 266
- Morphology, 315
 - area, 185
 - attribute-based, 186
 - binary, 197
 - birth of, 1
 - h-, 285
 - one-dimensional, 352
- Motion
 - detection, 430
 - detection in video, 166
 - heart, 71
 - robot, 382
- Multi-scale
 - analysis, 305
 - representation, 241
 - segmentation, 127
 - watershed, 362
- Non-distributive lattices, 79
- Non-linear
 - diffusion, 255
 - dynamical systems, 338
- Non-linear operators, 209
 - on digital projections, 165
- Non-linear processing
 - programmable retina, 393
- Not
 - injective, 407
 - invertible, 407
- N-step, 350
- Object hierarchy, 266
- Object-oriented image analysis, 266
- Object splitting, 229
- ODEs
 - see ordinary differential equations, 253
- Opening, 4, 77, 79, 139, 182, 214, 256, 315, 348, 383, 429
- Opening and closing by reconstruction, 415
- Opening and closing with reconstruction
 - criteria, 415
- Opening
 - area, 186, 301
 - as adjunction, 278
 - binary, 197
 - by reconstruction, 47, 120, 267, 415
 - connected set, 306
 - h-, 285
 - linear, 315
 - with reconstruction criteria, 415
- Operator
 - 1D, 348
 - area-based, 186
 - attribute based, 404
 - binary image, 219
 - connected, 47, 403, 427
 - contrast invariant, 294
 - decomposition, 123, 283
 - design, 219–220
 - idempotent, 11
 - Kuwahara-Nagao, 285
 - lattice, 337
 - linear, 169
 - monotone set, 294
 - morphology, 349
 - non-linear, 171
 - opening and closing, 14
 - retinal, 393
 - scale-invariant, 307
 - scale-space, 255, 277
 - set, 295
 - sup-inf, 294
 - watershed, 179
- Optimization, 105
- Orderings
 - partial, 278
- Ordinary differential equations, 253
- Overlapping components, 25
- PAC
 - see probably approximately correct, 341
- Parallelism
 - synchronous/asynchronous, 391
- Partial differential equations, 37, 92, 283, 294
- Partial ordering, 281
- Partition, 365
- Partitioning, 266
- Patent, 1
- PDEs
 - see partial differential equations, 253
- Pencil, 127
- Perimeter computation, 27
- Plurigaussian random functions, 327
- Poisson distribution, 247
- Polygon growing, 91
- Polygon region representation, 91
- Posets, 277
- Power constraint, 188
- Precision, 249
- Priority queue, 91
 - hierarchical, 159
- Probably approximately correct, 341
- Programmable retina, 391
- Programming, 175
- Programming paradigms, 176
- Psychovisual evaluation, 185
- Random
 - binary series, 348
 - Boolean function, 124
 - Gaussian function, 327
 - noise, 38
 - sets, 4
 - variable, 247
- Rasterop, 209

- Razing, 47
- Reconstruction, 182, 415
 - geodesic, 85
 - process, 427
 - self-dual, 431
- Reconstructive filters, 266
- Regression, 327
- Regularization, 91
- Remote sensing, 147
- Restriction of a markov chain, 327
- Rieman Hypothesis, 166
- Robot, 381
- Rock particles, 315
- Rotation invariance, 371
- Roundness, 315
- Scale invariance, 253, 259
- Scale-space, 241, 253, 278, 283
 - dilation, 281
 - directed, 253
 - discretization, 245
 - erosion/dilation, 381
 - Gaussian, 241
 - linear, 242, 383
 - morphological, 256, 266, 382
 - affine, 301
 - reconstructive, 267
 - self-dual, 257
 - theory, 277
- Seeded region growing, 91
 - performance, 98
 - regularised, 93
- Segmentation, 37, 137, 148, 273, 359, 391
 - algorithms, 19
 - binary objects, 229
 - by attribute, 310
 - by levelings, 48, 371
 - by viscous flooding, 69
 - general scheme for documents, 18
 - multi-resolution, 42
 - multi-scale, 127, 129
 - object-oriented, 266
 - of binary shapes, 422
 - regularized, 91
 - texture, 102, 110, 226
 - watershed, 359
- Separating function, 372
- Set operators, 295
- Shape
 - analysis, 305
 - distribution, 306
 - filter, 306
 - non-convex, 322
- Sieve, 186, 305, 409
- Signals, 176
- SIMD, 391
- Simulated annealing, 104
- Simulation, 355
- Size
 - density function, 109
 - distribution, 102, 109, 307
- Skeleton, 102–103
 - 3D, 157
- Smooth zones, 47, 50
- Snake, 41
 - geodesic, 294
- SNR, 30
- Splines, 241, 244
- Stack filters, 296
- State space, 340, 352
- Statistical characterization, 348
- Structuring element, 104, 209
 - convex, 104
 - decomposition, 182
- Structuring element decomposition
 - linear, 198, 211
 - logarithmic, 198, 211
- Structuring element
 - directional, 139
 - linear, 198
 - n-D, 152
- Sup-inf operators, 294
- Surface decomposition, 117
- Surface topography characterization, 117
- Symmetry group, 260
- Synchronous/asynchronous parallelism, 391
- Synchronous parallelism, 399
- System identification, 337, 339
- Textural features, 137
- Texture analyser, 1
- Texture
 - analysis, 102, 109
 - primitive description, 102
- Threshold
 - commuting with, 296
- Too hard
 - working, 236
- Top hat, 139, 182
- Top-hat, 182
- Topographic
 - distance, 70
- Topographic relief, 70
- Topography characterisation, 117
- Topological uniformity, 40
- Transform
 - anisotropic distance, 147
 - discrete Radon, 165
 - distance, 104, 111, 199
 - elliptical distance, 231
 - Fourier, 173, 315
 - image forest, 363
 - top hat, 139
 - watershed, 69, 391
- Unrolled loops, 209
- Value-and-criterion filter structure, 284
- Variational calculus, 37
- Vector field, 253
- Viscous flooding, 69

- Viscous lattice, 79
 - connections, 82
- Visually lossless, 188
- Viterbi, 310
- Watershed, 10, 48, 91, 110, 117, 129, 142,
 - 148–149, 179, 182, 229, 269, 359, 378
 - leakage, 72
 - minimum markers for, 359
 - multi-scale, 359
 - multispectral, 149
 - regularization, 88, 99
- Watershed transform, 69, 391
 - computation, 393
 - review, 360
- Wavelets, 18
- Wear, 117
- Zero crossing, 38
- ZP-coder, 21